	Application No.	Applicant(s)
Notice of Allowability	10/010,875	OHMORI, MASATAKE
	Examiner	Art Unit
	Stophon M. Prinich	2625
	Stephen M. Brinich	2625
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amdt filed 7/12/06</u> .		
2. The allowed claim(s) is/are <u>1-14,17-26 and 28-57</u> .		
 3.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary (-
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08	Paper No./Mail Date	e nent/Comment
Paper No./Mail Date		
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	_	nt of Reasons for Allowance
	9.	

Art Unit: 2625

DETAILED ACTION

Allowable Subject Matter

1. Applicant's arguments in the Response filed 7/12/06 (page 19, lines 2-9) with respect to claims 15-16 & 27 have been fully considered and are persuasive. The rejection of claims 15-16 & 27 has been obviated by their cancellation.

Conclusion

2. Any inquiry concerning the contents of this communication or earlier communications from the examiner should be directed to Stephen M. Brinich at 571-272-7430.

Any inquiry relating to the status of this application or proceeding or any inquiry of a general nature concerning application processing should be directed to the Tech Center 2600 Customer Service center at 571-272-2600 or to the USPTO Contact Center at 800-786-9199 or 571-272-1000.

The examiner can normally be reached on weekdays 8:00-5:30, alternate Fridays off.

The examiner's unit designation has been changed from "Art Unit 2624" to "Technology Division 2625" (as of March 20, 2006).

If attempts to contact the examiner and the Customer Service Center are unsuccessful, supervisor David Moore can be contacted at 571-272-7437.

Application/Control Number: 10/010,875

Art Unit: 2625

Page 3

Faxes pertaining to this application should be directed to the Tech Center 2600 official fax number, which is 571-273-8300 (as of July 15, 2005).

Hand-carried correspondence may be delivered to the Customer Service Window, located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314.

Stephen M Brinich
Examiner

Technology Division 2625

smb / M/S July 17, 2006

THOMAS D. TOWNS LEE PRIMARY EXAMINER